## Continuous Production of Nanocrystalline TiO<sub>2</sub> Nanofibers

Pavel Kejzlar<sup>1</sup>, Radovan Kovář<sup>2</sup>

<sup>1</sup>Department of Preparation and Analysis of Nanostructures; Institute for Nanomaterials, Advanced Technologies and Innovation, Technical University of Liberec, Studentska 1402/2, 461 17 Liberec, Czech Republic. Email: pavel.kej-zlar@tul.cz

<sup>2</sup>Department of Machinery Construction; Institute for Nanomaterials, Advanced Technologies and Innovation, Technical University of Liberec, Studentska 1402/2, 461 17 Liberec, Czech Republic. Email: radovan.kovar@tul.cz

Titanium dioxide in its anatase allotropic modification is well known for its photovoltaic and photocatalytic activity. Through a modification of Nanospider device it was achieved a continuous production of nanocrystaline anatase nanofibers. These inorganic fibres have a huge specific surface area due to their fine diameter and structure and thus offer a promising potential in many applications. In this article it is described the device allowing continuous production of inorganic  $TiO_2$  nanofibers by the use of electrospinning process and optimization of following calcination process leading to obtaining of almost pure nanocrystaline anatase structure.

Keywords: Anatase, Electrospinning, Nanofiber, Nanospider<sup>TM</sup>, Photocatalysis, Structure

## Acknowledgement

The results of this project LO1201 were obtained with co-funding from the Ministry of Education, Youth and Sports as part of targeted support from the ''Národní program udržitelnosti I'' programme.

## References

- [1] JAMIESON, J. C., OLINGER, B. (1968). High-Pressure Polymorphism of Titanium Dioxide. In: *Science*, Vol. 161, No. 3844, pp. 893-895.
- [2] DACHILLE, F., SIMONS, P. Y., ROY, R. (1968). Pressure-temperature studies of Anatase, Brookite, Rutile and TiO<sub>2</sub>-II. In: *The American mineralogist*, Vol. 53, pp. 1929-1939.
- [3] FUJISHIMA, A., HONDA, K. (1972). Electrochemical photolysis of water at a semiconductor electrode. In: *Nature*, Vol. 238, No. 5358, pp. 37 38.
- [4] DING, X. Z., LIU, X. H., HE, Y.Z. (1996). Grain size dependence of anatase-to-rutile structural transformation in gel-derived nanocrystalline titania powders. In: *Journal of Materials Science Letters*, Vol. 15, No. 20, pp. 1789-1791.
- [5] HANAOR, D., SORRELL, CH. (2011). Review of the anatase to rutile phase transformation. In: *Journal of Materials Science*, Vol. 46, No. 4, pp. 855-874.
- [6] DAVID, L. (2011). Comprehensive nanoscience and technology. Elsevier, London.
- [7] IBÁÑEZ, J. A., LITTER, M. I., PIZARRO, R. A. (2003). Photocatalytic bactericidal effect of TiO<sub>2</sub> on enterobacter clocae, comparative study with other gram (-) bacteria. In: *J. Photochem. Photobiol. A: Chem.*, Vol. 157, pp. 81-85.
- [8] MANESS P. Ch. et al. (1999). Bactericidal Activity of Photocatalytic TiO2 Reaction: toward an Understanding of Its Killing Mechanism. In: *Appl. Environ. Microbiol.*, Vol. 65, No. 9, pp. 4094-4098.
- [9] RAMAKRISHNA, S. (2005). An introduction to electrospinning and nanofibers. Hackensack, NJ: World Scientific.
- [10] LUKAS, D. et al. (2009). Physical principles of electrospinning (Electrospinning as a nano-scale technology of the twenty-first century). In: *Textile Progress*, Vol. 41, No. 2, pp. 59-140.
- [11] JIRSÁK O. et al. (2005), CZ Patent, CZ294274 (B6), A, Method of nanofibers production from polymer solution using electrostatic spinning and a device for carrying out the Metod, WO 2005024101.
- [12] PETRŮ, M., NOVÁK, O., LEPŠÍK, P. (2012). Increase of the efficiency of the production lines for the spinning of inorganic nanofibers by the electrostatic field intensity optimization. In: *MM Science Journal*, No. 4, pp. 382-385.
- [13] KOVÁŘ, R. (2012). Ways to Pull Down Spinning Nanofibersfrom the Rotating Brush in High Voltage Area. In: 53<sup>rd</sup> International Conference of Machine Design Departments, Brno, pp. 141- 144.
- [14] WETCHAKUN N. et al. (2012). Influence of calcination temperature on anatase to rutile phase transformation in TiO<sub>2</sub> nanoparticles synthesized by the modified sol–gel method. In: *Materials Letters*, Vol. 82, pp. 195-198.

Paper number: M201624

Copyright © 2016. Published by Manufacturing Technology. All rights reserved.